Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

GENERAL INDEX.

The more important classified entries will be found under the following heads: Diseases, Floras, Host Plants, Journals, Nomenclature, Personals, Reviews.

Names of synonyms are printed in *Italics;* names of new species, etc., in **bold face.**

A

A. A. A. S., Buffalo meeting, 312.
Academy of Science, Indiana, 100; Iowa, 99; Ohio, 100.
Acanthochiton, 356; Wrightii, 356.
Acer, seedlings of, 212.
Acrostichum conforme, 253; pilosum, 253; **Pringlei**, 253; spathulatum, 254.
Aegilops *aromatica*, 364.
Africa, cedars of, 182; new plants from, 248.
Agrostis *brevifolia*, 14, 155.
Algæ, aqueous media for preserving, 140; calcareous, 215; cystocarp of Champia parvula, 109; development of Nemalion, 340.
Alisma Plantago, embryo-sac of, 123.
Alnus glutinosa, 12.
Alps, flora of, 381.
Alternanthera *flavescens*, 354; *latifolia*, 352; *Richardii*, 353.
Alternation of generations, 183.
Amaranthaceæ, synopsis of N. Am., 348.
Amber-tree in America, 311.
Amorpha, accessory buds of, 167.
Ampelopsis, accessory buds of, 167.
Androcryphia *longiseta*, 68, 69.
Andropogon *alopecuroides*, 16, 156.
Anther, of Loranthaceæ, 181.
Anthoceros *jungermannioides*, 67.
Apluda *Zeugites*, 136.
Apodachlya, 325; brachynema, 325; pirifera, 325.
Apospory, in Scolopendrium, 42.
Apple, monograph of, 381.
Araiospora, 317, 323, 326; **pulchra**, 328.
Arenaria patula, 118.
Argemone, 44.
Aristida, protection against insects, 98.
Ascomycetes, sex-reproduction in, 250.
Aspergillus niger, 161.
Aspidium aculeatum, 254; athyrioides, 254; *chaerophylloides*, 255; filix-mas parallelogrammum, 255; juglandifolium, 255; *parallelogrammum*, 255; patulum chaerophylloides, 255; **scabriusculum**, 255; **strigillosum**, 256.
Asplenium chihuahuaense, 264; cicutarium, 257; cicutarium *paleaceum*, 258; *dubiosum*, 264: **Eatoni**, 258; erectum proliferum, 257; **fibrillosum**, 257; fragrans, 258; hastatum, 258; monanthemum, 258; serra, 259..
Assimilation, effect of salt of soil, 30; role of stomata, 29.
Aster *abbreviatus*, 277; *acuminatus*, 277; *Cornuti*, 277; Novi-Belgii, 97; *pallens*, 277; *patulus*, 275; *præcox*, 277; **puniceus × tardiflorus lancifolius**, 278; tardiflorus, 97, 275, 276, 374; tardiflorus **lancifolius**, 277; *Tradescanti*, 277; *vimineus*, 277.
Asterina dillitescens, 226; pelliculosa, 228.
Atheropogon *stolonifer*, 139.
Athyrium *sphærocarpum*, 254.
Atriplex arenarium, seedlings of, 212.
Avena **Mortoniana**, 133.

B

Bacteria, 243.
Bacterium Dianthi, 379.
Bambosulus *latifolius*, 157.
Basconema, 248.
Batrachospermum, fertilization of, 231.
Beans, mimicry of pebbles, 235.
Bebb, M. S., bibliography of, 65; biographical sketch of, 53.
Betula, chalazogamy in, 44; seedlings of lutea, 211.
Bibliography, of American botany, 238.
Blastocladia, 45; Pringsheimii, 45, 51; **ramosa**, 50.
Boehmeria, fiber from, 98.
Botanical Club, of Vermont, 380.
Botanical Society of America, 313,
Buda marina, seedlings of, 211.
Buds, accessory, 166.

C

Cactaceæ, Coulter's revision, 242; mescal buttons, 314.
Calcium, role of, 249, 383.
Camassia Fraseri, and insects, 266.
Camphor water, for preserving algæ, 143.
Campulosus *aromaticus*, 364; *brachystachyus*, 363; *chapadensis*, 362; *cirrhosus*, 362; *planifolius*, 364.
Carbon dioxide, and protoplasm, 290.
Carex albicans, 7; **Arkansana**, 6; branching of, 312; of Check-List, 1; **Congdoni**, 6; **Eggertii**, 6; Emmonsii *elliptica*, 7; festiva *gracilis*, 5; feta **multa**, 8; grandis **Helleri**, 7; **Hassei**, 5; **Idahoa**, 5; *Jamesii*, 8; microglochin, 4; **multimoda**, 5, Nebraskensis **ultriformis**, 8; *Peckii*, 7; **prasina × crinita**, 8; quadrifida **caeca**, 8; rosea *Arkansana*, 6; *Sartwelliana*, 6; **scabrata × crinita**, 8; subfusca, 5; varia, 7; Yosemitana, 6.
Cassia multipinnata, 234.
Casuarina, embryo-sac of, 374.
Ceanothus ovatus, 118.
Cell, disorganization of, 293.
Cellulose, reserve in seeds, 309.
Celosia, 355; floribunda, 356; Palmeri, 356; paniculata, 355.
Celtis occidentalis, 120.
Centrospheres, 184; in Alisma, 125.

Cercis, accessory buds, 167.
Chalazogamy, 44, 251, 337.
Champia parvula, development of cystocarp, 109.
Cheilanthes aurantiaca, 259; *ochracea*, 259.
Chichi, 44.
Chrome alum, for preserving algæ, 141.
Chrysophlyctis endobiotica, 247.
Citrous fruits, diseases of, 376.
Clusius, Carolus, 315.
Clypeum, 311.
Columbine Association, 312.
Coniferæ, root-hairs of, 372.
Cryptostachys *vaginata*, 15, 155.
Ctenium *Americanum*, 364; brachystachyum, 363; **brevispicatum**, 363; Carolinianum, 364; Chapadense, 362; cirrhosum, 362; **glandulosum**, 362; planifolium, 364; polystachyum, 361.
Cupressinoxylon Bibbinsii, 312.
Curvature, mechanics of, 160.
Cutinized membranes, and gases, 169.
Cyathea Schanschin, 259.
Cystocarp of Champia, 109.

D

Danthonia **Parryi**, 133.
Despretzia *Mexicana*, 136, 137.
Dicraurus, 354; alternifolius, 355; leptocladus, 355.
Diervilla trifida, accessory buds, 166.
Dimerosporium MacOwanianum, 228; psilostomatis, 228.
Dirca palustris, and insects, 73.
Diseases, of citrous fruits, 377; of potatoes, 247, 250; a root-fungus, 250; spot disease of orchids, 42; of sweet potatoes, 92; of tobacco, 311; translation of Tubeuf, 313.
Disorganization, phenomena of, 293.
Donaldsonia, 248.
Drosera rotundifolia, physiology of, 299.
Drosophyllum lusitanicum, nutrition of, 371.
Dryopteris *scabriuscula*, 256; *strigilosa*, 257.

E

Echinacea, angustifolia, 119.
Electricity and disorganization, 295.
Eleocharis melanocarpa, 122.
Embryo, 21; of Alisma, 129; of Sequoia, 332.
Embryo-sac, 182; of Alisma, 123; of Casuarina, 374; of Salix, 374; of Sequoia, 334, 336; of Taraxacum, 229.
Engelmann, Dr. George, 314.
Equisetum robustum, 122.
Erianthus *alopecuroides*, 16; compactus, 16; saccharoides, 16, 157.
Erythronium Americanum, polyembryony in, 97.
Ethno-botany, purpose of, 146.
Euphorbia, corollata and insects, 74; polygonifolia, seedlings of, 212.
Exobasidium Andromedæ, culture of, 101; *Azaleæ*, 102; Vaccinii, culture of, 101.

F

Ferns, of Jamaica, 42; of Mexico, 253.
Fertilization, 22; in Alisma, 126; in Batrachospermum, 231; in Champia, 109; in Sphaerotheca, 250.
Ficus elastica, 35; religiosa, 36.
Flora, of Chicago and vicinity, 118; lichens of Chicago, 309; lichens of Iowa, 43; of Metropolitan Parks district, 250; of states, comments on, 303; of West Virginia, 308.
Flowers and insects, 72, 266.
Forests, abrasion of, by snow and sleet, 248; of Transcaucasus, 312; of United States, 315.
Formalin, for preserving algæ, 143.
Fossombronia, 67; *angulosa*, 69, 70; cristata, 68, 69; cristula, 67, 69; *cubana*, 68, 70; Dumortieri, 68; foveolata, 67, 69; longiseta, 68, 69; Macouni, 68, 70; pusilla, 67, 70; salina, 70; Texana, 68, 69; Wrightii, 68, 70.
Fragaria **Helleri**, 36.
Fraxinus, seedlings of, 213.
Freezing device, 195.
Fruit, 21; diseases of citrous, 376.
Fungi, aquatic, new or peculiar, 45, 317; on citrous fruits, 376; Exobasidium, 101; Meliola, 224; new and critical, 311; parasitic, as index of hybrids, 98; phosphorescent, 381; a destructive root fungus, 250.

G

Gardens, Bartram, 43; Geneva, 313; Kew, 247; Missouri, 43; New York, 97, 182; Smith College, 43.
Gases, and cutinized membranes, 169.
Gentianaceæ, heterostyly in, 247.
Geothallus tuberosus, 9, 13.
Gillettia, 248.
Ginkgo, "chichi" on, 44.
Gleditschia, accessory buds, 167.
Gleichenia longissima, 259; pubescens, 259.
Gomphrena *latifolia*, 352; *vermicularis*, 348.
Gonapodya, 325; polymorpha, 325; siliquaeformis, 325.
Gramineæ, anatomical characters of, 357; Aristida, protection against insects, 98; Ctenium, synopsis of, 361; new species, 133; notes on, 155; Sporobolus, 14; terminology of floral organs, 18, 41; validity of Nash's changes, 16.
Greenland, collections from, 97.
Growth, mechanical hindrance of, 231; of banana leaves, 365.
Gymnogramme calomelanos, 259.
Gymnosperms, life history of Sequoia, 332; root-hairs of Coniferæ, 372.

H

Hamamelis Virginiana, seed propulsion, 170.
Heat, and disorganization, 294.
Helianthus annuus, 119.
Hepaticæ, Fossombronia, 67; Geothallus, 9; Plagiochila, 185; Underwood and Cook's exsiccatæ, 244.
Herbarium, Columbia College, 384; Deane's 210; Ellis's, 182; Redfield's, 181; U. S. National, 381.
Heterostyly, in Gentianaceæ, 247.
Heterotopic, 182.
Homalocenchrus lenticularis, 122.
Host plants, Andromeda, 101, 104; Arundinaria, 226; Bignonia, 227; Callicarpa, 226; Camellia, 227; citrous fruits, 376; Ficus, 35; Gonolobus, 227; Gordonia, 226; Ilex, 228; Laurus, 226; Oryza, 249; Persea, 226; Phoenix, 227; Rhododendron, 102; Rubus, 228; Sabal, 227; sweet potatoes, 92; Vaccinium, 104.
Hybrids, parasitic fungi as an index, 98.
Hymenophyllum axillare, 259; hirsutum, 259; lineare, 260; polyanthos, 260.

I

Index Kewensis, supplement, 43.
Insectivorous plants, Drosophyllum, 371.
Insects, and flowers, 72, 266; protection of Aristida against, 98.
Iresine, 348; *alternifolia*, 355; alternifolia *Texana*, 355; **arbuscula,** 350; canescens, 351; cassinaeformis, 351; *celosioides*, 353; **completa,** 349; *diffusa*, 354; elatior, 349; *flavescens*, 354; *gracilis*, 354; interrupta, 353; **Jaliscana**, 351; *laxa*, 352; latifolia, 352; **nigra**, 350; paniculata, 353; paniculata **Floridana,** 353; paniculata obtusifolia, 354; Pringlei, 352; Schaffneri, 352; vermicularis, 348.
Iris, and insects, 79; versicolor, and insects, 80.
Isoetes riparia, 218; saccharata, 218.
Isopyrum, root-tubers of, 250, 280.
Ixophorus, 18, 158; *unisetus*, 158.

J

Journals, Acta Hort. Petrop., 382; Am. Jour. Sci., 312; Amer. Nat., 382; Anat. Anz., 183; Ann. Bot., 42, 97, 183, 230, 231, 248, 249, 383; Arch. Neerl. Sci., 181; Arch. Sci. Phys. et Nat., 181; Ber. Deutsch. Bot. Gesell., 181, 247, 250; Book Reviews, 381; Bot. Central., 181, 251; Bot. Notiser, 98; Bot. Sem. of Neb., 177, 307; Bot. Zeit., 248; Bull. Agric. Exp. St., 99, 248, 251; Bull. Bot. Dept. Jamaica, 42, 380; Bull. Lab. Nat. Hist. State Univ. Iowa, 43; Bull. l'Herb. Boiss., 182, 311, 312, 313; Bull. Soc. Bot. France, 181, 182; Bull. Torr. Bot. Club, 181, 382; Bull. U. S. Dept. Agric., 248; Can. Rec. Sci., 177; Central. f. Bak., 181; Commercial Trav. Home Mag., 247; Die natuerlich. Pflanz., 184, 311; Dry Goods Bull., 98; Erythea, 42; Garden and Forest, 42, 247, 311; Gard. Chron., 182, 380, 381; Hedwigia, 308; Jour. Bot., 43, 44, 248, 311, 382; Kew Bull., 43, 250; Le Botaniste, 184; Linn. Fern Bull., 247; Malpighia, 181; Micr. Bull., 182; Minn. Bot. Studies, 171, 177, 250; New Eng. Mag., 314; Pharmaceut. Rev., 98; Pittonia, 313, 380; Proc. Philad. Acad., 97, 249; Rev. Mycol., 248; Science, 97, 248, 311; Therap. Gaz., 314; Tokyo Bot. Mag., 44, 249.
Juglans, accessory buds, 168; regia, chalazogamy in, 251.

K

Karyokinesis, 249.
Kerner's "Nat. Hist. of Plants," 20, 37.
Krombholzia *latifolia*, 136; *Mexicana*, 136.

L

Lactuca Scariola, distrib. in U. S., 34.
Langloisia, 313.
Lasiodiplodia tubericola, 92.
Lastrea *scabriuscula*, 256; *strigilosa*, 257.
Lathyrus maritimus, seedlings of, 211.
Lawson, Geo., death, 42.
Leaves, banana, growth of, 365; nyctitropic position of, 181; parallel-veined, 181.
Leguminosæ, accessory buds, 166.
Leptomitaceæ, 325.
Leptomitus, 325; lacteus, 325.
Leptostromella elastica, 35.
Library, Lloyd's, 97.
Lichens, of Chicago, 309; of Iowa, 43; N. Am. species of Parmelia, 202; the only "thallophytes," 237.
Light, and disorganization, 295.
Limnanthemum nymphoides, 234.
Lippia iodantha, 247.
Lithophila, 348.
Lomaria attenuata, 260; capensis, 260; procera, 260.
Lonicera, accessory buds, 166.
Lophophora, mescal buttons, 314.
Loranthaceæ, anthers of, 181.
Lycopodium alpinum sabinaefolium, 42.

M

Marattia laxa, 260.
Melanthium virginicum, and insects, 273.
Meliola, 224; amphitricha, 226; bidentata, 227; Camelliæ, 227; Cookeana, 226; cryptocarpa, 226; furcata, 227; heteromeles, 227; inermis, 228; MacOwaniana, 228; manca, 228; Martiniana, 226; palmicola, 227; Penzigi, 228; psilostomæ, 228; quinquespora, 228; sanguinea, 228; tenuis, 225.
Mescal buttons, 314.
Microscopieal journals, articles in, 178.
Mimicry, of fungi by insects, 41, 248; of pebbles by beans, 235.
Mosses, Cardot's, 381; Kindberg's, 308.
Mueller, Jean, 247, 313.
Muhlenbergia *aspericaulis*, 15.
Museums, 307.
Mycorhiza, of Coniferæ, 373.
Myosotis laxa, 120.
Myriophyllum Farwellii, 97; scabratum, 97.

N

Necrology, George Lawson, 42; Jean Mueller, 247.
Nemalion multifidum, development of, 340.
Nephrodium *Mexicanum*, 255; *scabriusculum*, 256; *sphærocarpum*, 254; *strigilosum*, 257.
New England botanists, 314.
New Zealand, botany of, 182; destructive fungus of, 250.
Nomenclature, binary name, 179, 246; of Carex species, 1; dates and references, 90; double citation, 1; general comments, 85, 88; inconsistencies, 82; priority, 90; suppressed names, 4; varietal names, 3.
Notholaena Hookeri, 260.
Nothoscordum *ornithogaloides*, 266; striatum, and insects, 266.
Nucleolus, 181, 183, 249.
Nuttall's Compositæ, dates of, 42.

O

Ocimum *frutescens*, 234.
Oil, of cinnamon, 308; of citron, 308.
Ombrophilous foliage, 163.
Onoclea. experiments with, 382.
Ophioglossaceæ, Bower's studies in, 249.
Orchids, spot disease of, 42.
Organic foods, selection of, 161.
Oryza sativa, anatomical characters of, 357.

P

Paleohillia, a fossil plant, 207.
Panicum boreale, 18, 157; capillare, 158; dichotomum, 18, 158; divaricatum, 17, 157; flexile, 158; latifolium, 17, 157; laxiflorum, 18, 158; minus, 17; Porterianum, 17.
Parmelia, 202; acetabulum, 206; Borreri, 205; cetrata, 203; compacta, 204; congruens, 205; conspersa, 205; crinita, 203; hypotropa, 204; hypotropoides, 204; isidiocera, 206; Kamtschadalis, 205; molliuscula, 205; perlata, 203; praesignis, 205; saccatiloba, 204; sphærosporella, 206; submarginalis, 204; tiliacea, 205; tinctorum, 204.
Pellaea cordata, 261; HYMENOLOMA, a new section, 261; **membranacea**, 262; Pringlei, 262; *sagittata*, 261.
Penicillium glaucum, 161.
Perrilla frutescens, 234; *ocimoides*, 234.
Personals, Arthur, 380; Bailey (L. H.), 381, 383; Bailey (W. W.), 380; Baker, 182; Barnes, 380; Beal, 311; Bennett (A. W.), 381; Bray, 380. Britton (N. L.), 380, 383; Cheney, 247; Clusius, 315; Cockerell, 380; Cook, 247; Coulter (J. M.), 183; Crozier, 311; Curtis (C. C.), 383; Deane, 250; Eaton, 42; Engelmann, 314; Halsted, 381; Harper, 248; Harshberger, 381; Heller, 42; Istvanffi, 315; Kedzie, 311; Lagerheim, 42; Lloyd, 381; MacDougal, 248, 347, 380; Macfarlane, 381; Mueller (J.), 313; Oudemans, 247; Peirce, 248; Pennock, 182; Prentiss, 183; Robinson (B. L.), 381; Sargent (F. L.), 312; Schiffner, 380; Shaw, 384; Stokes, 312; True, 247; Underwood, 380; Ward (Marshall), 43; Wilson (W. P.), 381.
Phacelia Covillei, 233.
Phaseolus **smilacifolius**, 233.
Phegopteris rudis, 263.
Philoxerus, 348; *vermicularis*, 348.
Phosphorescent fungi, 381.
Phytophthora Cactorum, 311; Nicotianæ, 311.
Pigment, of negro skin, 97.
Pinus, rate of growth, 311; Torreyi, 312; twisting of grain, 159.
Plagiochila, 185; asplenioides, 187; **Columbiana**, 189; **Floridana**, 190; interrupta, 187; Ludoviciana, 192; *macrostoma*, 187; *nodosa*, 187; *porelloides*, 187; *spinulosa*, 191; **Sullivantii**, 191; nudata, 193; Virginica, 190.
Pollen-tube, of Sequoia, 337.
Pollination, 24, 72, 266.
Polembryony, in Erythronium, 97.
Polygonatum, and insects, 268; *biflorum commutatum*, 268; giganteum, and insects, 268.
Polygonum hydropiperoides, and insects, 72; Pennsylvanicum, and insects, 72; seedlings of, 211.
Polypodium angustifolium, 263; angustum, 263; fallax, 263; fraternum, 263; loriceum, 263; Martensii, 263; moniliforme, 263; plectolepis, 263; repens, 263; reptans, 263; squamatum, 264.
Poplars of N. Am., 251.
Potamogeton, diversifolius, 121; *hybridus*, 121; interruptus, 121.
Prentiss, A. N., biographical sketch of, 283.
Pringleochloa stolonifera, 137.
Protoplasm, and carbon dioxide, 290.
Prunus serotina, accessory buds, 166.
Pteris *lutea*, 259; podophylla, 264; *sagittata*, 261.
Puccinia dispersa, 99.

R

Ramie, 98.
Reproduction, criticism of Kerner, 20.
Reviews, Arthur and Bolley's "Bacteriosis of carnations," 378; (L. H.) Bailey's "Plant breeding," 175; (W. W.) Bailey's "R. I. flowers," 90; Bergen's "Elements," 173; Bessey's "Essentials," 375; Calkins's "Lichens of Chicago," 309; Campbell's "Mosses and Ferns," 93; Contr. Nat. Herb., 38, 39, 176, 242; Cooley's "Reserve cellulose," 309; Corren's "Physiol. of Drosera," 299; "Physiol. of tendrils," 298; Coulter's "Cactaceæ," 242; Cratty's "Aquat. phanerogams," 95; Davis's "Batrachospermum," 231; Dean's "Vegetable culture," 378; Donnell-Smith's "Enumeration of Guat. plants," 40; Dœrfler's "Adressbuch," 306; Gregory's "Plant anat.," 239; Just's "Bot. Jahresb.," 95; Kerner's "Nat. Hist. of Plants," 20, 37; King's "Soil," 94; Klemm's "Cell disorganization," 293; Laurie's "Food of plants," 378; Lopriore's "Protoplasm and CO_2," 292; McBride's "Lessons," 173; McClatchie's "Fl. of Pasadena," 308; Migula's "Bacteria," 243; Millspaugh and Nuttall's "Fl. W. Va.," 308; Penhallow's "Outlines of classif." 307; Pettit's "Cultures of fungi," 39; Rusby and Jelliffe's "Bot. for pharmacists," 240; Saccardo's "Ital. bibl.," 96; Sedgwick and Wilson's "Gen. Biol., 176; Swingle and Webber's "Citrous fruits," 376.
Rhamnus Frangula, 235.
Rhipidium, 317, 325; **Americanum**, 320, 327; continuum, 318; elongatum, 318; interruptum, 318; spinosum, 319.
Rhus Toxicodendron, acid of, 97.
Root-hairs, of Coniferæ, 372.
Roots, contracticle, 181.
Rosa **Macdougali**, 36.
Rosea *elatior*, 350.
Rosellinia radiciperda, 250.

S

Saccharomyces farciminosus, 181.
Salix, and insects, 75; cordata, and insects, 76; herbacea, and insects, 75; humilis, and insects, 77.
Sapromyces, 317, 322, 326; **androgynus**, 329; elongatus, 326; Reinschii, 323.
Saxifragaceæ, two new genera, 181.
Scirpus Torreyi, 122.
Scitamineæ, seeds of, 249.
Scolopendrium, apospory in, 42.
Seeds, dissem. in Hamamelis, 170; latent life, 181; reserve cellulose, 309; of Scitamineæ, 249.
Seedlings, collection of, 210.
Selaginella, ligule of, 248.
Selective power of fungi, 161.
Sequoia sempervirens, life-history of, 332.
Setaria, 158; *uniseta*, 158.
Sibara, 313.
Sium cicutaefolium, seedlings of, 214.
Smilacina racemosa, and insects, 270; stellata, and insects, 269.
Solidago, poisoning by, 42; sempervirens, seedlings of, 212.

Spathularia *crispata*, 311.
Spiraea sorbifolia, accessory buds, 166.
Sporobolus aspericaulis, 15; *brevifolius*, 14, 15; cuspidatus, 14; *neglectus*, 15, 156; *vaginaeflorus*, 15; vaginatus, 15.
Spragueola Americana, 311.
Starch, conversion to sugar, 249.
Stomata, in assimilation, 29; in transpiration, 27.
Sugar, conversion from starch, 249.
Summer schools, Stanford Univ., 383; Univ. of Penn., 381; Univ. of Wis., 380.

T

Taraxacum, embryo-sac of, 229.
Tendrils, physiology of, 298; temperature irritability of, 248.
Thaspium barbinode, 119; pinnatifidum, 118.
Tilletia horrida, 249; oryzæ, 249.
Tradescantia micrantha, 301.
Transpiration, experiments, 26; regulation by guard-cells, 28; stomatic and cuticular, 27.
Trichomanes radicans, 264.
Trillium, and insects, 271; recurvatum, and insects, 273; sessile, and insects, 272.
Tromsdorfia, 348; *canescens*, 351.
Tubers of Isopyrum, 250, 280.

U

Umbelliferæ, substance of oil-tubes, 181.
Uncinia, 4.
University of Chicago, botany at, 183.
Urochloa uniseta, 18, 158.
Ustilago virens, 249.
Uvularia, and insects, 270; grandiflora, and insects, 270.

V

Vagnera *racemosa*, 270; *stellata*, 269.
Vilfa *cuspidata*, 14, 15, 155; *gracilis*, 14; *Richardsonis*, 15, 155; vaginaeflora, 155.
Viola, synonymy of pedata, 380.
Vitaceæ, accessory buds, 168.
Vitis, accessory buds, 168.
Vittaria lineata, 264.

W

Widdringtonia, 182.

X

Xanthium, seedlings of, 212.

Y

Yeast, pathogenic, 181.
Yucca *baccata*, 311; mohavensis, 311.

Z

Zeugites, 136; Americana, 136; colorata, 137; Galeottiana, 136; Hartwegi, 136; latifolia, 136; Mexicana, 137; **smilacifolia**, 134, 137.

INDEX TO AUTHORS.

Atkinson, G. F., 283.

Bailey, L. H., 1, 246.
Barnes, C. R., 293.
Bray, W. L., 348.

Campbell, D. H., 9.
Chamberlain, Chas., 229, 374.
Cheney, L. S., 159.
Chester, Grace D., 340.
Clendenin, Ida, 92.
Coulter, J. M., 231.

Davenport, G. E., 85, 253.
Davis, B. M., 109.
Day, R. N., 169.
Deane, Walter, 53, 210.
Dewey, L. H., 34.

Earle, F. S., 224.
Evans, A. W., 185.

Fernald, M. L., 275, 374.

Greene, E. L., 179.
Grout, A. J., 97.

Harshberger, J. W., 146.
Hill, E. J., 118.
Holm, Theo., 98, 163, 207, 357.
Holzinger, J. M., 36.

Knowlton, F. H., 82.
Kuntze, Otto, 88.

MacDougal, D. T., 160, 280.
MacMillan, C., 20.
Maxwell, W., 365.
Meehan, Thos., 90.
Morgan, A. P., 237.

Nash, G. V., 41, 155.

Osterhout, W. J. V., 140, 195.

Palmer, T. C., 218.
Penhallow, D. P., 215.
Pollard, C. L., 233.
Putnam, Bessie L., 170.

R. — —, 41, 290, 372.
Richards, H. M., 101.
Robertson, Chas., 72, 266.
Rose, J. N., 301.
Rowlee, W. W., 178.
Russell, H. L., 243.

Schaffner, J. H., 123.
Scribner, F. L., 14, 133.
Setchell, W. A., 140.
Shaw, W. R., 332.
Sherzer, W. H., 235.
Shull, G. H., 166.
Smith, J. G., 16, 361.
Smith, R. E., 35.

Thaxter, Roland, 45, 317.
True, R. H., 161, 230, 298, 299, 371.

Uline, E. B., 348.
Underwood, L. M., 67.

Willey, Henry, 202.
Woods, A. F., 26.